


THERMATEX® Sonic element




THERMATEX® Sonic element is a ceiling raft concept without a frame! Particularly in architecturally demanding application areas, such as foyers and reception spaces, restaurants and modern office environments, THERMATEX® Sonic element is the optimum solution combining design and acoustics. The recessed fixing points and frameless, monolithic edges accentuate the impression of a floating cloud.

Humidity resistance	up to 95% relative humidity
Forms	rectangular, circular, elliptical, hexagonal, trapezoidal, triangular, free forms
Dimensions	max.1200 x 1200 mm, max. Ø 1200 mn
Thickness	40 mm
Weight / raft (incl. suspension)	rectangular 17.0 kg circular 13.0 kg
Edge material	fleece-coated
Edge colour	white, other colours
Fixing	cable suspension
Surface designs	Classic: fleece-coated white Colour: fleece-coated coloured (black, creme, silver)

All ceiling rafts are delivered ready to install in one piece. This guarantees simple and quick installation. The flexible suspension with fine, stainless steel cables enables the height to be individually adjusted as required.


Sound absorption values as per EN ISO 354


(Tested as a single absorber)



THERMATEX® Sonic element

1200 x 1200 mm, Suspension height 150 mm





THERMATEX® Sonic element

Ø 1200 mm, Suspension height 150 mm



6.0 5.0 4.0 3.0 2.0 1.08 1.92 2.02 2.08 Su 1.08 1.08 1.08 1.08 1.08 1.09 1

THERMATEX® Sonic element

Ø 1200 mm, Suspension height 300 mm





Knauf AMF GmbH & Co. KG
Elsenthal 15
D-94481 Grafenau Germany
Telefon 08552 / 422-0 - Fax 08552 / 422-32
info@knaufamf.de - www.knaufamf.com

Due to reproduction processes colours shown in this catalogue may differ from the actual product colour. Product selection should always be made from AMF samples. All details and technical information stated in this brochure or other publicity material referring to AMF ceiling systems are based on test reports obtained under laboratory conditions. It is the responsibility of the customer to ensure that this data is suitable for the proposed application. All information provided is based on current technical data. Further relevant test reports, assessments and installation guidelines are available. All system details conform with current standards and are based on the use of AMF products and system components. AMF accepts no liability or responsibility for use of third party components, or for any variations to conditions stipulated in test data. Mixing of production batches is not recommended. All technical data is subject to change without prior notice and is governed by AMF Terms and Conditions of Sales. This catalogue supersedes all previous editions. Errors and omissions excepted. Printing errors excepted.